



ÜRÜN KATALOĞU



RONSAN
KOPİLYA VE YAYLI RONDELA


SEGMAN

DIN 5417 SP Tip
Emniyet Segmanı 22

DIN 7993 Form A, Tel Tip
Emniyet Segman 23

DIN 7993 Form B, Tel Tip
Emniyet Segman 24





DIN 5417

SP Tip Emniyet Segmanı



ANMA ÖLÇÜSÜ	İÇ ÇAP INNER DIAMETER	GENİŞLİK WIDTH	GENİŞLİK WIDTH	
	d1	s	b	d2
30	22,7+0.4	1,12	3,25	28,17+0.25
32	29,4+0.4	1,12	3,25	30,15+0.25
35	32,4+0.4	1,12	3,25	33,17+0.25
37	34+0.4	1,12	3,25	34,77+0.25
40	37,3+0.4	1,12	3,25	38,10+0.25
42	38,9+0.5	1,12	3,25	39,75+0.25
44	40,9+0.5	1,12	3,25	41,75+0.25
47	43,7+0.5	1,12	4,04	44,60+0.25
50	46,6+0.5	1,12	4,04	47,60+0.25
52	48,8+0.5	1,12	4,04	49,73+0.25
55	51,7+0.5	1,12	4,04	52,60+0.25
56	52,4+0.8	1,12	4,04	53,60+0.25
58	54,4+0.8	1,12	4,04	55,60+0.25
62	58,2+0.8	1,70	4,04	59,61+0.50
65	61,2+0.8	1,70	4,04	62,60+0.50
68	63,4+0.8	1,70	4,85	64,82+0.50
72	67,4+0.8	1,70	4,85	68,81+0.50
75	70,4+0.8	1,70	4,85	71,83+0.50
80	75,4+0.8	1,70	4,85	76,81+0.50
85	80,4+0.8	1,70	4,85	81,81+0.50

ANMA ÖLÇÜSÜ	İÇ ÇAP INNER DIAMETER	GENİŞLİK WIDTH	GENİŞLİK WIDTH	
	d1	s	b	d2
90	85,4+0.8	2,46	4,85	86,79+0.50
95	90,4+0.8	2,46	4,85	91,82+0.50
100	95,2+1	2,46	4,85	96,80+0.50
110	105,2+1	2,46	4,85	106,81+0.50
115	110,2+1	2,46	4,85	111,81+0.50
120	113,6+1	2,82	7,21	115,21+0.50
125	118,6+1	2,82	7,21	120,22+0.50
130	123,6+1	2,82	7,21	125,22+0.50
140	133+1.6	2,82	7,21	135,23+0.50
145	138+1.6	2,82	7,21	140,23+0.50
150	142,9+1.6	2,82	7,21	145,24+0.50
160	152,9+1.6	2,82	7,21	155,22+0.50
170	161,3+1.6	3,10	9,60	163,65+0.50
180	171,2+1.6	3,10	9,60	173,66+0.50
190	181+1.8	3,10	9,60	183,64+0.50
200	191+1.8	3,10	9,60	193,65+0.50
210	200,9+1.8	3,10	9,60	203,60+0.50
215	205,9+1.8	3,10	9,60	208,60+0.50
225	214,3+1.8	3,50	10,00	217+0.50
230	219,2+1.8	3,50	10,00	222+0.50

*Bu ürün, standart dışı ölçü ve özellikler deteminedilebilir.

*Ölçüler mm cinsindendir. Dimensions in mm.




UNI
7433

DIN 7993

Form A, Tel Tip
Emniyet Segman

Internal Snap Ring

ANMA ÖLÇÜSÜ	İÇ ÇAP INNER DIAMETER	KALINLIK THICKNESS	GENİŞLİK WIDTH	DIŞ ÇAP OUTER DIAMETER
d1	d2	d4	e	d3
M 4	3.1 - 0.2	0.8	1	3.2 ± 0.05
M 5	4.1 - 0.2	0.8	1	4.2 ± 0.05
M 6	5.1 - 0.2	0.8	1	5.2 ± 0.05
M 7	6.1 - 0.3	0.8	2	6.2 ± 0.05
M 8	7.1 - 0.3	0.8	2	7.2 ± 0.05
M 10	9.1 - 0.3	0.8	2	9.2 ± 0.05
M 12	10.8 - 0.4	1.0	3	11.0 ± 0.05
M 14	12.8 - 0.4	1.0	3	13.0 ± 0.05
M 16	14.2 - 0.4	1.6	3	14.4 ± 0.05
M 18	16.2 - 0.4	1.6	3	16.4 ± 0.05
M 20	17.7 - 0.5	1.6	3	18 ± 0.10
M 22	19.7 - 0.5	2.0	3	20 ± 0.10
M 24	21.7 - 0.5	2.0	3	22 ± 0.10
M 25	22.7 - 0.5	2.0	3	23 ± 0.10
M 26	23.7 - 0.5	2.0	3	24 ± 0.10
M 28	25.7 - 0.5	2.0	3	26 ± 0.10
M 30	27.7 - 0.5	2.0	3	28 ± 0.10
M 32	29.1 - 0.6	2.5	4	29.5 ± 0.10
M 35	32.1 - 0.6	2.5	4	32.5 ± 0.10
M 38	35.1 - 0.6	2.5	4	35.5 ± 0.10

ANMA ÖLÇÜSÜ	İÇ ÇAP INNER DIAMETER	KALINLIK THICKNESS	GENİŞLİK WIDTH	DIŞ ÇAP OUTER DIAMETER
d1	d2	d4	e	d3
M 40	37.1 - 0.6	2.5	4	37.5 ± 0.10
M 42	39 - 0.8	2.5	4	39.5 ± 0.10
M 45	42 - 0.8	2.5	4	42.5 ± 0.10
M 48	45 - 0.8	2.5	4	45.5 ± 0.10
M 50	47 - 0.8	2.5	4	47.5 ± 0.10
M 55	51.1 - 0.8	3.2	4	51.8 ± 0.15
M 60	56.1 - 0.8	3.2	4	56.8 ± 0.15
M 65	61.1 - 0.8	3.2	4	61.8 ± 0.15
M 70	66 - 1.0	3.2	5	66.8 ± 0.15
M 75	71 - 1.0	3.2	5	71.8 ± 0.15
M 80	76 - 1.0	3.2	5	76.8 ± 0.15
M 85	81 - 1.0	3.2	5	81.8 ± 0.15
M 90	86 - 1.0	3.2	5	86.8 ± 0.15
M 95	91 - 1.0	3.2	5	91.8 ± 0.15
M 100	95.8 - 1.2	3.2	5	96.8 ± 0.15
M 105	100.8 - 1.2	3.2	5	101.8 ± 0.15
M 110	105.8 - 1.2	3.2	5	106.8 ± 0.15
M 115	110.8 - 1.2	3.2	5	111.8 ± 0.15
M 120	115.8 - 1.2	3.2	5	116.8 ± 0.15
M 125	120.8 - 1.2	3.2	5	121.8 ± 0.15

*Bütün standart dışı ölçü ve özellikler detaylandırılabilir.

*Ölçüler mm cinsindendir. Dimensions in mm.






DIN 7993

Form B, Tel Tip Emniyet Segman

Internal Snap Ring



ANMA ÖLÇÜSÜ	DIŞ ÇAP OUTER DIAMETER	KALINLIK THICKNESS	GENİŞLİK WIDTH	
d1	d3	d4	e	d2
M 7	7.9 + 0.3	0.8	4	7.8 ± 0.05
M 8	8.9 + 0.3	0.8	4	8.8 ± 0.05
M 10	10.9+0.3	0.8	4	10.8±0.05
M 12	13.2+0.4	1.0	6	13 ± 0.05
M 14	15.2+0.4	1.0	6	15 ± 0.05
M 16	17.8+0.4	1.6	8	17.6±0.05
M 18	19.8+0.4	1.6	8	19.6±0.05
M 20	22.3+0.5	2.0	10	22 ± 0.10
M 22	24.3+0.5	2.0	10	24 ± 0.10
M 24	26.3+0.5	2.0	10	26 ± 0.10
M 25	27.3+0.5	2.0	10	27 ± 0.10
M 26	28.3+0.5	2.0	10	28 ± 0.10
M 28	30.3+0.5	2.0	10	30 ± 0.10
M 30	32.3+0.5	2.0	10	32 ± 0.10
M 32	34.9+0.6	2.5	10	34.5±0.10
M 35	37.9+0.6	2.5	12	37.5±0.10
M 38	40.9+0.6	2.5	12	40.5±0.10
M 40	42.9+0.6	2.5	12	42.5±0.10
M 42	45 + 0.8	2.5	16	44.5±0.10

ANMA ÖLÇÜSÜ	İÇ ÇAP INNER DIAMETER	KALINLIK THICKNESS	GENİŞLİK WIDTH	
d1	d3	d4	e	d2
M 45	48.8+0.8	2.5	16	47.5±0.10
M 48	51 + 0.8	2.5	16	50.5±0.10
M 50	53 + 0.8	2.5	16	52.5±0.10
M 55	58.9+0.8	3.2	20	58.2±0.15
M 60	63.9+0.8	3.2	20	63.2±0.15
M 65	68.9+0.8	3.2	20	68.2±0.15
M 70	74 + 1.0	3.2	25	73.2±0.15
M 75	79 + 1.0	3.2	25	78.2±0.15
M 80	84 + 1.0	3.2	25	83.2±0.15
M 85	89 + 1.0	3.2	25	88.2±0.15
M 90	94 + 1.0	3.2	25	93.2±0.15
M 95	99 + 1.2	3.2	25	98.2±0.15
M 100	104.2+1.2	3.2	32	103.2±0.15
M 105	109.2+1.2	3.2	32	108.2±0.15
M 110	114.2+1.2	3.2	32	113.2±0.15
M 115	119.2+1.2	3.2	32	118.2±0.15
M 120	124.2+1.2	3.2	32	123.2±0.15
M 125	129.2+1.2	3.2	32	128.2±0.15

*Bu ürün, standart dışı ölçü ve özellikler detaylandırılabilir.

*Ölçüler mm cinsindendir. Dimensions in mm.

